

106 countries & counting with over 3 decades of dedicated service to the document printing industry. FME has become the leader in providing solutions for printers the world over.



How to contact FME:


111 Atlantic Annex PT
Suite 2
Maitland, FL 32751

800-327-5676 (US & Canada)
407-296-5880 phone
407-296-5886 fax
sales@fme.com (email)


Check us out on the Web
www.fme.com

Our new web site is filled with information on our equipment and products and includes our current used equipment list and monthly sales specials. Send your comments and questions to us via email: sales@fme.com

©2012 Forms Manufacturers Equipment, Inc. The entire contents of this catalog copyright 2005 Forms Manufacturers Equipment, Inc. All rights reserved. No part of this catalog may be reproduced without the written permission of Forms Manufacturers Equipment, inc.


Dome Head LHP


SIZE	PART NUMBER	"L"
5/32"	002-0156-546	.546


Line Hole Punch

SIZE	PART NUMBER
5/32"	002-0156-521
3/16"	002-0187-521
7/32"	002-0219-521

Long Life™ LHP


5/32"	L02-0156-521
-------	--------------


Line Hole Die


SIZE	PART NUMBER
5/32"	002-0156-450
3/16"	002-0187-450
7/32"	002-0219-450

Long Life™ LHD


5/32"	L02-0156-450
-------	--------------


File Hole Punch


SIZE	PART NUMBER
5/32"	002-0156-470
3/16"	002-0187-470
7/32"	002-0219-470
1/4"	002-0250-470
9/32"	002-0281-470
5/16"	002-0312-470
11/32"	002-0344-470
3/8"	002-0375-470*
13/32"	002-0406-470*
7/16"	002-0437-470*
1/2"	002-0500-470*


File Hole Die


SIZE	PART NUMBER
5/32"	002-0156-390
3/16"	002-0187-390
7/32"	002-0219-390
1/4"	002-0250-390
9/32"	002-0281-390
5/16"	002-0312-390
11/32"	002-0344-390
3/8"	002-0375-390
13/32"	002-0406-390
7/16"	002-0437-390
1/2"	002-0500-390

ATF Punches & Dies

Dome Head LHP


SIZE	PART NUMBER	"L"
5/32"	004-0156-595	.595(.570)
5/32"	004-0156-605	.605(.580)
5/32"	004-0156-605	.615(.590)


Dome Head FHP


SIZE	PART NUMBER	"L"
1/4"	004-0250-666	.666"
5/16"	004-0312-670	.670"
3/8"	004-0375-678	.678"


Line Hole Punch


SIZE	PART NUMBER	"L"
5/32"	004-0156-570*	.570
5/32"	004-0156-580	.580
5/32"	004-0156-590	.590
3/16"	004-0187-580	.580
7/32"	004-0219-580*	.580
1/4"	004-0250-580*	.580


Line Hole Die

SIZE	PART NUMBER
5/32"	004-0156-187
3/16"	004-0187-187
7/32"	004-0219-187


File Hole Punch

SIZE	PART NUMBER
5/32"	004-0156-625
3/16"	004-0187-625
7/32"	004-0219-625
1/4"	004-0250-625
9/32"	004-0281-625
5/16"	004-0312-625
11/32"	004-0344-625
3/8"	004-0375-625
13/32"	004-0406-625
7/16"	004-0437-625
1/2"	004-0500-625



File Hole Die

SIZE	PART NUMBER
5/32"	004-0156-500
3/16"	004-0187-500
7/32"	004-0219-500
1/4"	004-0250-500
9/32"	004-0281-500
5/16"	004-0312-500
11/32"	004-0344-500
3/8"	004-0375-500
13/32"	004-0406-500
7/16"	004-0437-500
1/2"	004-0500-500




Didde Punches & Dies

also fits Kluge / Mark Andy / Super Web

**Dome Head LHP**

SIZE	PART NUMBER	"L"
5/32"	006-0156-587	.587
3/16"	006-0187-591	.591
7/32"	006-0219-596	.596

**Line Hole Punch**

SIZE	PART NUMBER
5/32"	006-0156-562
3/16"	006-0187-562
7/32"	006-0219-562*
1/4"	006-0250-562*

Long Life™ LHP


5/32"	L06-0156-562
-------	--------------

**Quick Release LHP**


SIZE	PART NUMBER	"L"
5/32"	QR6-0156-620 (Dome)	.620
5/32"	QR6-0156-595 (Flat)	.595

**File Hole Punch**

SIZE	PART NUMBER
5/32"	006-0156-595
3/16"	006-0187-595
7/32"	006-0219-595
1/4"	006-0250-595
9/32"	006-0281-595
5/16"	006-0312-595
11/32"	006-0344-595
3/8"	006-0375-595
13/32"	006-0406-595
7/16"	006-0437-595
1/2"	006-0500-595

**Dome Head FHP**


SIZE	PART NUMBER	"L"
3/16"	006-0187-624	.624
1/4"	006-0250-632	.632
5/16"	006-0312-640	.640
3/8"	006-0375-648	.648

**Line Hole Die**


SIZE	PART NUMBER
5/32"	006-0156-329
3/16"	006-0187-329
7/32"	006-0219-329
1/4"	006-0250-329

Long Life™ LHD


5/32"	L06-0156-329
-------	--------------

**File Hole Die**

SIZE	PART NUMBER
5/32"	004-0156-500
3/16"	004-0187-500
7/32"	004-0219-500
1/4"	004-0250-500
9/32"	004-0281-500
5/16"	004-0312-500
11/32"	004-0344-500
3/8"	004-0375-500
13/32"	004-0406-500
7/16"	004-0437-500
1/2"	004-0500-500

Hamilton Punches & Dies**Dome Head LHP**


SIZE	PART NUMBER	"L"
5/32"	008-0156-815	.815(.790)
5/32"	008-0156-825	.825(.800)

**Line Hole Punch**


SIZE	PART NUMBER	"L"
5/32"	008-0156-790	.790
3/16"	008-0187-790	.790
7/32"	008-0219-790*	.790
1/4"	008-0250-790*	.790
5/32"	008-0156-800	.800
3/16"	008-0187-800	.800

Long Life™ LHP


5/32"	L08-0156-790	.790
-------	--------------	------

**File Hole Punch**

SIZE	PART NUMBER
5/32"	008-0156-580
3/16"	008-0187-580
7/32"	008-0219-580
1/4"	008-0250-580
9/32"	008-0281-580
5/16"	008-0312-580
11/32"	008-0344-580
3/8"	008-0375-580
13/32"	008-0406-580
7/16"	008-0437-580
1/2"	008-0500-580

**Dome Head FHP**


SIZE	PART NUMBER	"L"
1/4"	008-0250-617	.617"
3/8"	008-0375-632	.632"

**Line Hole Die**

SIZE	PART NUMBER
5/32"	008-0156-375
3/16"	008-0187-375
7/32"	008-0219-375
1/4"	008-0250-375

Long Life™ LHD

5/32"	L08-0156-375
-------	--------------


**File Hole Die**

SIZE	PART NUMBER
5/32"	008-1156-375
3/16"	008-1187-375
7/32"	008-1219-375
1/4"	008-1250-375
9/32"	008-1281-375
5/16"	008-1312-375
11/32"	008-1344-375
3/8"	008-1375-375
13/32"	008-1406-375
7/16"	008-1437-375
1/2"	008-1500-375




Doverstar Punches & Dies

also fits Edelmann / Form-All

**Dome Head LHP**


SIZE	PART NUMBER	"L"
5/32"	022-0156-605	.605(.580)
3/16"	022-0187-609	.609(.580)
7/32"	022-0219-613	.613(.580)
5/32"	022-0156-615	.615(.590)

**Line Hole Punch**

SIZE	PART NUMBER	"L"
5/32"	022-0156-580	.580
3/16"	022-0187-580	.580
7/32"	022-0219-580	.580
1/4"*	022-0250-580*	.580
5/32"	022-0156-590	.590

Long Life™ LHP


5/32"	L22-0156-580	.580
-------	--------------	------

**Line Hole Die**


SIZE	PART NUMBER
5/32"	006-0156-329
3/16"	006-0187-329
7/32"	006-0219-329
1/4"	006-0250-329

Long Life™ LHD


5/32"	L06-0156-329
-------	--------------

New Era Punches & Dies**Line Hole Punch**


SIZE	PART NUMBER	"L"
5/32"	NEP-0156-1125	1.125
5/32"	NEP-0156-1500	1.500

**Line Hole Die**


SIZE	PART NUMBER	"L"
5/32"	NED-0156-375	.375
5/32"	NED-0156-320	.320

Goebel Punches & Dies**Line Hole Punch**


SIZE	PART NUMBER	"L"
4mm	GOP-0156-615	.615
4mm	GOP-0156-630	.630
4mm	GOP-0156-773	.773




SIZE	PART NUMBER
5.5mm	GOP-0216-906
8mm	GOP-0315-906

**Line Hole Die**


SIZE	PART NUMBER
5.5mm	GOP-0216-512
8mm	GOP-0315-512

Meisel Punches & Dies**Line Hole Punch**


SIZE	PART NUMBER
5/32"	MLP-0156-725
3/16"*	MLP-0187-725*
7/32"*	MLP-0219-725*
1/4"*	MLP-0250-725*

**Line Hole Die**


SIZE	PART NUMBER
5/32"	MLD-0156-300
3/16"	MLD-0187-300
7/32"	MLD-0219-300
1/4"	MLD-0250-300

Note: Meisel uses ATF File Hole Punches & Dies, see page 2.**OPM Punches & Dies****Line Hole Punch**

SIZE	PART NUMBER
5/32"	OPP-0156-687
3/16"	OPP-0187-687
7/32"	OPP-0219-687
1/4"	OPP-0250-687

**Line Hole Die**

SIZE	PART NUMBER
5/32"	016-0156-500
3/16"	016-0187-500
7/32"	016-0219-500
1/4"	016-0250-500


**File Hole Punch**

SIZE	PART NUMBER
1/4"	OPP-1250-687
5/16"	OPP-1312-687
3/8"	OPP-1375-687

**File Hole Die**

SIZE	PART NUMBER
1/4"	OPD-0250-501
5/16"	OPD-0312-501
3/8"	OPD-0375-501






Dome Head LHP

SIZE	PART NUMBER	"L"
5/32"	022-0156-605	.605(.580)
5/32"	022-0156-615	.615(.590)
3/16"	022-0187-609	.609(.580)
7/32"	022-0219-613	.613(.580)


1/4" x "L"



Dome Head FHP

SIZE	PART NUMBER	"L"
3/16"	004-0187-654	.654"
1/4"	004-0250-662	.662"
9/32"	004-0281-666	.666"
5/16"	004-0312-670	.670"
11/32"	004-0344-674	.674"
3/8"	004-0375-678	.678"


1/2" x "L"



Line Hole Punch

SIZE	PART NUMBER	"L"
5/32"	022-0156-580	.580
3/16"	022-0187-580	.580
7/32"	022-0219-580	.580
1/4"*	022-0250-580*	.580
5/32"	022-0156-590	.590

1/4" x "L"



Line Hole Die

SIZE	PART NUMBER
5/32"	002-0156-450
3/16"	002-0187-450
7/32"	002-0219-450


5/16" x .450"

Long Life™ LHP

5/32"	L22-0156-580	.580
5/32"	L22-0156-590	.590

Long Life™ LHD


5/32"	L02-0156-450
-------	--------------



File Hole Punch

SIZE	PART NUMBER
5/32"	004-0156-625
3/16"	004-0187-625
7/32"	004-0219-625
1/4"	004-0250-625
9/32"	004-0281-625
5/16"	004-0312-625
11/32"	004-0344-625
3/8"	004-0375-625
13/32"	004-0406-625
7/16"	004-0437-625
1/2"	004-0500-625

1/2" x .625"




File Hole Die

SIZE	PART NUMBER
5/32"	002-0156-390
3/16"	002-0187-390
7/32"	002-0219-390
1/4"	002-0250-390
9/32"	002-0281-390
5/16"	002-0312-390
11/32"	002-0344-390
3/8"	002-0375-390
13/32"	002-0406-390
7/16"	002-0437-390
1/2"	002-0500-390

11/16" x .390"

PCM Punches & Dies




Line Hole Punch

SIZE	PART NUMBER
5/32"	018-0156-706
3/16"	018-0187-706
7/32"	018-0219-706

5/16" x .706"

Long Life™ LHP


5/32"	L18-0156-706
-------	--------------



Dome Head FHP

SIZE	PART NUMBER	"L"
1/4"	004-0250-662	.662"
9/32"	004-0281-666	.666"
5/16"	004-0312-670	.670"
3/8"	004-0375-678	.678"


1/2" x "L"



File Hole Punch

SIZE	PART NUMBER
5/32"	004-0156-625
3/16"	004-0187-625
7/32"	004-0219-625
1/4"	004-0250-625
9/32"	004-0281-625
5/16"	004-0312-625
11/32"	004-0344-625
3/8"	004-0375-625
13/32"	004-0406-625
7/16"	004-0437-625
1/2"	004-0500-625

1/2" x .625"




Line Hole Die

SIZE	PART NUMBER
5/32"	018-0156-562
3/16"	018-0187-562
7/32"	018-0219-562

5/16" x .562"

Long Life™ LHD

5/32"	L18-0156-562
-------	--------------




File Hole Die

SIZE	PART NUMBER
5/32"	002-0156-390
3/16"	002-0187-390
7/32"	002-0219-390
1/4"	002-0250-390
9/32"	002-0281-390
5/16"	002-0312-390
11/32"	002-0344-390
3/8"	002-0375-390
13/32"	002-0406-390
7/16"	002-0437-390
1/2"	002-0500-390

11/16" x .390"




Sanden Punches & Dies



Dome Head LHP

SIZE	PART NUMBER	"L"
5/32"	002-0156-546	.546

5/16" x .546"




Line Hole Punch

SIZE	PART NUMBER
5/32"	002-0156-521
3/16"	002-0187-521
7/32"	002-0219-521

5/16" x .521"

Long Life™ LHP


5/32"	L02-0156-521
-------	--------------



File Hole Punch

SIZE	PART NUMBER
5/32"	004-0156-625
3/16"	004-0187-625
7/32"	004-0219-625
1/4"	004-0250-625
9/32"	004-0281-625
5/16"	004-0312-625
11/32"	004-0344-625
3/8"	004-0375-625
13/32"	004-0406-625
7/16"	004-0437-625
1/2"	004-0500-625

1/2" x .625"



Dome Head FHP

SIZE	PART NUMBER	"L"
1/4"	004-0250-662	.662"
9/32"	004-0281-666	.666"
5/16"	004-0312-670	.670"
3/8"	004-0375-678	.678"

1/2" x "L"




Line Hole Die

SIZE	PART NUMBER	"L"
5/32"	022-0156-385	.385
3/16"	022-0187-385	.385
7/32"	022-0219-385	.385
1/4"	022-0250-385	.385
5/32"	022-0156-400	.400

.399" x "L"

Long Life™ LHD

5/32"	L22-0156-385
-------	--------------




File Hole Die

SIZE	PART NUMBER
5/32"	002-0156-390
3/16"	002-0187-390
7/32"	002-0219-390
1/4"	002-0250-390
9/32"	002-0281-390
5/16"	002-0312-390
11/32"	002-0344-390
3/8"	002-0375-390
13/32"	002-0406-390
7/16"	002-0437-390
1/2"	002-0500-390

11/16" x .390"

Schriber Punches & Dies


also fits Akira / Forms Consulta / GSS / Giebler / Harris / Miyakoshi / Taiyo / Ukita



Dome Head LHP

SIZE	PART NUMBER	"L"
5/32"	022-0156-605	.605(.580)
5/32"	022-0156-615	.615(.590)
3/16"	022-0187-609	.609(.580)
7/32"	022-0219-613	.613(.580)

1/4" x "L"



Line Hole Punch

SIZE	PART NUMBER	"L"
5/32"	022-0156-580	.580
3/16"	022-0187-580	.580
7/32"	022-0219-580	.580
1/4"*	022-0250-580*	.580
5/32"	022-0156-590	.590

1/4" x "L"

Long Life™ LHP


5/32"	L22-0156-580	.580
5/32"	L22-0156-590	.590



Quick Release LHP

SIZE	PART NUMBER	"L"
5/32"	022-0156-595 (Dome)	.595
5/32"	QR2-0156-575 (Flat)	.575
3/16"	QR2-0187-575 (Flat)	.575


7/32" x "L"



File Hole Punch

SIZE	PART NUMBER
5/32"	004-0156-625
3/16"	004-0187-625
7/32"	004-0219-625
1/4"	004-0250-625
9/32"	004-0281-625
5/16"	004-0312-625
11/32"	004-0344-625
3/8"	004-0375-625
13/32"	004-0406-625
7/16"	004-0437-625
1/2"	004-0500-625


1/2" x .625"



Dome Head FHP

SIZE	PART NUMBER	"L"
1/4"	004-0250-662	.662"
9/32"	004-0281-666	.666"
5/16"	004-0312-670	.670"
3/8"	004-0375-678	.678"

1/2" x "L"




Line Hole Die

SIZE	PART NUMBER	"L"
5/32"	022-0156-385	.385
3/16"	022-0187-385	.385
7/32"	022-0219-385	.385
1/4"	022-0250-385	.385
5/32"	022-0156-400	.400

.399" x "L"

Long Life™ LHD

5/32"	L22-0156-385
-------	--------------



File Hole Die


SIZE	PART NUMBER
5/32"	002-0156-390
3/16"	002-0187-390
7/32"	002-0219-390
1/4"	002-0250-390
9/32"	002-0281-390
5/16"	002-0312-390
11/32"	002-0344-390
3/8"	002-0375-390
13/32"	002-0406-390
7/16"	002-0437-390
1/2"	002-0500-390

11/16" x .390"




Schober Punches & Dies


also fits Baust / Next Generation / EMT

**Line Hole Punch**


SIZE	TYPE	PART NUMBER
5/32"	HSS-Standard	215-HSSP-5/32
5/32"	Long Life	215-LLP-5/32
5/32"	Tungsten Carbide	215-TCP-5/32
3/16"	Long Life (Only)	215-LLP-3/16

**File Hole Punch**


SIZE	TYPE	PART NUMBER
5/32"	HSS-Standard	215-HSSD-5/32
5/32"	Long Life	215-LLD-5/32
5/32"	Tungsten Carbide	215-TCD-5/32
3/16"	Long Life (Only)	215-LLD-3/16

ASK ABOUT OUR U.S. MADE LONGLIFE GRADE PUNCH AND DIES**Seailles & Tison Punches & Dies****Line Hole Punch**

SIZE	PART NUMBER
4mm	STP-0156-770

**Line Hole Die**


SIZE	PART NUMBER
4mm	TIP-0250-415

Timson Punches & Dies**Dome Head LHP**


SIZE	PART NUMBER
5/32"	025-0156-768

Standard LHP


5/32"	025-0156-743
-------	--------------

**File Hole Punch**


SIZE	PART NUMBER
1/4"	TIP-0250-415
5/16"	TIP-0312-415
3/8"	TIP-0375-415

Stevens Punches & Dies**Dome Head LHP**

SIZE	PART NUMBER	"L"
5/32"	024-0156-535	.535

**Dome Head FHP**

SIZE	PART NUMBER	"L"
1/4"	024-0250-647	.647
3/8"	024-0375-663	.663

**Line Hole Punch**


SIZE	PART NUMBER
5/32"	024-0156-510
3/16"	024-0187-510
7/32"	024-0219-510

Long Life™ LHP


5/32"	L24-0156-510
-------	--------------

**Line Hole Die**

SIZE	PART NUMBER
5/32"	016-0156-500
3/16"	016-0187-500
7/32"	016-0219-500

**File Hole Punch**


SIZE	PART NUMBER
5/32"	024-0156-610
3/16"	024-0187-610
7/32"	024-0219-610
1/4"	024-0250-610
9/32"	024-0281-610
5/16"	024-0312-610
11/32"	024-0344-610
3/8"	024-0375-610
13/32"	024-0406-610
7/16"	024-0437-610
1/2"	024-0500-610

**File Hole Die**

SIZE	PART NUMBER
5/32"	002-0156-390
3/16"	002-0187-390
7/32"	002-0219-390
1/4"	002-0250-390
9/32"	002-0281-390
5/16"	002-0312-390
11/32"	002-0344-390
3/8"	002-0375-390
13/32"	002-0406-390
7/16"	002-0437-390
1/2"	002-0500-390




Western Gear Domed Head Line Hole Punches




SIZE	PART NUMBER	LENGTH
5/32"	006-0156-587	.587
3/16"	006-0187-591	.591
7/32"	006-0219-596	.596
1/4"	006-0250-599	.599

Western Gear Domed Head File Punches




SIZE	PART NUMBER	LENGTH
1/4"	004-0250-662	.662
9/32"	004-0281-666	.666
5/16"	004-0312-670	.670
11/32"	004-0344-674	.674
3/8"	004-0375-678	.678

Western Gear Long Life™ Line Hole Punches




SIZE	PART NUMBER
5/32"	L06-0156-562

Western Gear Long Life™ Line Hole Dies




SIZE	PART NUMBER
5/32"	L06-0156-329

Western Gear Standard Line Hole Punches




SIZE	PART NUMBER
5/32"	006-0156-562
3/16"	006-0187-562
7/32"	006-0219-562
1/4"	006-0250-562

Western Gear Standard Line Hole Dies




SIZE	PART NUMBER
5/32"	006-0156-329
3/16"	006-0187-329
7/32"	006-0219-329
1/4"	006-0250-329

Western Gear Standard File Hole Punches



SIZE	PART NUMBER
5/32"	004-0156-625
3/16"	004-0187-625
7/32"	004-0219-625
1/4"	004-0250-625
9/32"	004-0281-625
5/16"	004-0312-625
11/32"	004-0344-625
3/8"	004-0375-625
13/32"	004-0406-625
7/16"	004-0437-625
1/2"	004-0500-625


Western Gear Standard File Hole Dies



SIZE	PART NUMBER
5/32"	026-0156-515
3/16"	026-0187-515
7/32"	026-0219-515
1/4"	026-0250-515
9/32"	026-0281-515
5/16"	026-0312-515
11/32"	026-0344-515
3/8"	026-0375-515
13/32"	026-0406-515
7/16"	026-0437-515
1/2"	026-0500-515




Witt Domed Head Line Hole Punches




SIZE	LENGTH	PART NUMBER
5/32"	.700	028-0156-700

Witt Domed Head File Hole Punches




SIZE	LENGTH	PART NUMBER
1/4"	.712	028-0250-712
3/8"	.728	028-0375-728

Witt Standard Line Hole Punches




SIZE	PART NUMBER
5/32"	028-0156-675
3/16"	028-0187-675
7/32"	028-0219-675
1/4"	028-0250-675

Witt Standard Line Hole Dies




SIZE	PART NUMBER
5/32"	028-0156-400
3/16"	028-0187-400
7/32"	028-0219-400
1/4"	028-0250-400

Witt Standard File Hole Punches



SIZE	PART NUMBER
1/4"	028-1250-675
9/32"	028-1281-675
5/16"	028-1312-675
11/32"	028-1344-675
3/8"	028-1375-675
13/32"	028-1406-675


Witt Standard File Hole Dies



SIZE	PART NUMBER
1/4"	004-0250-500
9/32"	004-0281-500
5/16"	004-0312-500
11/32"	004-0344-500
3/8"	004-0375-500
13/32"	004-0406-500




Triangle Punches



PRESS	BODY	LENGTH	PART NUMBER
Akira Miyakoshi PCM Schriber/ Ukita	1/2"	625"	004-1250-625 RH
ATF Morgan Rotatek Harris Western			004-2250-625 LH
Drent Muller Martini Sanden Taiyo Gear			004-5250-625 45°
Ashton RDP Marathon	3/8"	470"	002-1250-470 RH 002-2250-470 LH 002-5250-470 45°
Didde	1/2"	594"	006-1250-595 RH 006-2250-595 LH 006-5250-595 45°
Hamilton	1/2"	580"	008-1250-580 RH 008-2250-580 LH 008-5250-580 45°
Stevens	1/2"	610"	024-1250-610 RH 024-2250-610 LH 024-5250-610 45°
Witt	1/2"	675"	028-1250-675 RH 028-2250-675 LH 028-5250-675 45°

Special size of Punch are Quote only

Triangle Dies




PRESS	BODY	LENGTH	PART NUMBER
Akira Muller MartiniRDP Schriber/ Taiyo	11/16"	.390"	002-3250-390 RH
Ashton Miyakoshi Rotatek Harris Ukita			002-4250-390 LH
Morgan PCM Sanden Stevens			002-6250-390 45°
ATF Witt	11/16"	.500"	004-3250-500 RH
Didde			004-4250-500 LH
Drent			004-6250-500 45°
Hamilton	11/16"	.375"	008-3250-375 RH
			008-4250-375 LH
			008-6250-375 45°
Western Gear	11/16"	.515"	026-3250-515 RH
			026-4250-515 LH
			026-6250-515 45°

Special size of Die are Quote only




Slot Punches & Dies



5/32" x 1/2"
Slot Size

PRESS	BODY DIA.	LENGTH	PART NO.
Akira Miyakoshi PCM Schriber/ Ukita	1/2"	.625"	004-1156-625
ATF Morgan Rotatek Harris Western			
Drent Muller Martini Sanden Taiyo Gear			
Ashton RDP Marathon	3/8"	.470"	002-1156-470
Didde	1/2"	.595"	006-1156-595
Hamilton	1/2"	.580"	008-1156-580
Stevens	1/2"	.610"	024-1156-610
Witt	1/2"	.660"	028-1156-660




5/32" x 1/2"
Slot Size
Serrated Only


PRESS	BODY DIA.	LENGTH	PART NO.
Akira Muller Martin RDP Marathon Schriber/ Taiyo	11/16"	.390"	002-3156-390
Ashton Myakoshi Rotatek Harris Ukita			
Morgan PCM Sanden Stevens			
ATF Didde Drent Kluge Witt	11/16"	.500"	004-3156-500
Hamilton	11/16"	.375"	008-3156-375
Western Gear	11/16"	.515"	026-3156-515

Oblong Punches & Dies

4mm x 6mm









PUNCHES	PART NO.
Akira Morgan Taiyo	022-2156-580
Doverstar Muller Ukita	022-2156-590
Drent Rotatek	
Miyakoshi Schriber/Harris	
Ashton RDP Marathon	002-2156-470
Sanden	
Didde Kluge	006-2156-562
Hamilton	008-2156-790
PCM	018-2156-706
Stevens	024-2156-510
Western Gear	006-2156-580
Witt	028-2156-675



DIES	PART NO.
Akira Schriber-Harris	022-2156-385
Miyakoshi Taiyo	
Sanden Ukita	
Ashton Muller	002-2156-450
Drent Rotatek	
Morgan RDP Marathon	
Didde Kluge	006-2156-329
Doverstar Western Gear	
Hamilton	008-2156-375
PCM	018-2156-562
Stevens	016-2156-500
Witt	028-2156-400








Slitter & Perf Wheels

 Not Combinable for qty. price	Akira	Size	Cut x Tie	Part Number	 Not Combinable for qty. price	ATF	Size	Cut x Tie	Part Number
		1.575" Dia.	Slitter	001-0000-000			2.625" Dia.	Slitter	004-0000-000
		.236" Thick	2 x .031"	001-0002-031			.248" Thick	2 x .031"	004-0002-031
		.748" Bore	3 x .031"	001-0003-031			1.00" Bore	3 x .031"	004-0003-031
		60° Angle	4 x .031"	001-0004-031			60° Angle	4 x .031"	004-0004-031
			5 x .031"	001-0005-031				5 x .031"	004-0005-031
			6 x .031"	001-0006-031				6 x .031"	004-0006-031
		Also Fits	7 x .031"	001-0007-031				7 x .031"	004-0007-031
		Ryobi	8 x .031"	001-0008-031				8 x .031"	004-0008-031
			10 x .031"	001-0010-031				10 x .031"	004-0010-031
			12 x .031"	001-0012-031				12 x .031"	004-0012-031
			16 x .031"	001-0016-031				16 x .031"	004-0016-031
			30 Micro	001-0030-004				30 Micro	004-0030-004
		Ties From:	50 Micro	001-0050-004			Ties From:	50 Micro	004-0050-004
		.020"-.060"	72 Micro	001-0072-004			.020"-.060"	72 Micro	004-0072-004
 Not Combinable for qty. price	Ashton 2"	Size	Cut x Tie	Part Number	 Not Combinable for qty. price	Ashton 3"	Size	Cut x Tie	Part Number
		2.00" Dia.	Slitter	003-0000-000			3.00" Dia.	Slitter	002-0000-000
		.187" Thick	2 x .031"	003-0002-031			.248" Thick	2 x .031"	002-0002-031
		.250" Bore	3 x .031"	003-0003-031			.750" Bore	3 x .031"	002-0003-031
		60° Angle	4 x .031"	003-0004-031			60° Angle	4 x .031"	002-0004-031
			5 x .031"	003-0005-031				5 x .031"	002-0005-031
			6 x .031"	003-0006-031				6 x .031"	002-0006-031
		Also Fits	7 x .031"	003-0007-031				7 x .031"	002-0007-031
		RDP-Mara-	8 x .031"	003-0008-031			Also Fits:	8 x .031"	002-0008-031
		thon	10 x .031"	003-0010-031			RDP- Mara-	10 x .031"	002-0010-031
		Sanden	12 x .031"	003-0012-031			thon	12 x .031"	002-0012-031
			16 x .031"	003-0016-031			Sanden	16 x .031"	002-0016-031
			30 Micro	003-0030-004				30 Micro	002-0030-004
		Ties From:	50 Micro	003-0050-004			Ties From:	50 Micro	002-0050-004
		.020"-.060"	72 Micro	003-0072-004			.020"-.060"	72 Micro	002-0072-004
 Not Combinable for qty. price	Cameron	Size	Cut x Tie	Part Number	 Not Combinable for qty. price	Doverstar	Size	Cut x Tie	Part Number
		3.02" Dia.	Slitter	015-0000-000			1.181" Dia.	Slitter	012-0000-000
		.248" Thick	2 x .031"	015-0002-031			.194" Thick	2 x .031"	012-0002-031
		.748" Bore	3 x .031"	015-0003-031			.630" Bore	3 x .031"	012-0003-031
		45° Angle	4 x .031"	015-0004-031			60° Angle	4 x .031"	012-0004-031
			5 x .031"	015-0005-031				5 x .031"	012-0005-031
		Also Fits	6 x .031"	015-0006-031				6 x .031"	012-0006-031
		Bielomatik	7 x .031"	015-0007-031				7 x .031"	012-0007-031
		Formall	8 x .031"	015-0008-031			Also Fits:	8 x .031"	012-0008-031
		Giebelier	10 x .031"	015-0010-031			Ko Pack	10 x .031"	012-0010-031
		Rotatek	12 x .031"	015-0012-031				12 x .031"	012-0012-031
		Stevens	16 x .031"	015-0016-031				16 x .031"	012-0016-031
			30 Micro	015-0030-004				30 Micro	012-0030-004
		Ties From:	50 Micro	015-0050-004			Ties From:	50 Micro	012-0050-004
		.020"-.060"	72 Micro	015-0072-004			.020"-.060"	72 Micro	012-0072-004





Slitter & Perf Wheels


Didde	Size	Cut x Tie	Part Number
 Not Combinable for qty. price	2.25" Dia. .437" Thick .874" Bore 45° Angle	Slitter	006-0000-000
		2 x .031"	006-0002-031
		3 x .031"	006-0003-031
		4 x .031"	006-0004-031
		5 x .031"	006-0005-031
		6 x .031"	006-0006-031
		7 x .031"	006-0007-031
		8 x .031"	006-0008-031
		10 x .031"	006-0010-031
		12 x .031"	006-0012-031
		16 x .031"	006-0016-031
		30 Micro	006-0030-004
		50 Micro	006-0050-004
		72 Micro	006-0072-004
	Ties From: .020"-.060"		
Drent	Size	Cut x Tie	Part Number
 Not Combinable for qty. price	1.97" Dia. .205" Thick .748" Bore 60° Angle Also Fits: Giebeler Muller Rotatek	Slitter	014-0000-000
		2 x .031"	014-0002-031
		3 x .031"	014-0003-031
		4 x .031"	014-0004-031
		5 x .031"	014-0005-031
		6 x .031"	014-0006-031
		7 x .031"	014-0007-031
		8 x .031"	014-0008-031
		10 x .031"	014-0010-031
		12 x .031"	014-0012-031
		16 x .031"	014-0016-031
		30 Micro	014-0030-004
		50 Micro	014-0050-004
		72 Micro	014-0072-004
	Ties From: .020"-.060"		
Dusenbury	Size	Cut x Tie	Part Number
 Not Combinable for qty. price	3.02" Dia. .244" Thick .748" Bore 45° Angle	Slitter	007-0000-000
		2 x .031"	007-0002-031
		3 x .031"	007-0003-031
		4 x .031"	007-0004-031
		5 x .031"	007-0005-031
		6 x .031"	007-0006-031
		7 x .031"	007-0007-031
		8 x .031"	007-0008-031
		10 x .031"	007-0010-031
		12 x .031"	007-0012-031
		16 x .031"	007-0016-031
		30 Micro	007-0030-004
		50 Micro	007-0050-004
		72 Micro	007-0072-004
	Ties From: .020"-.060"		

Didde VIP	Size	Cut x Tie	Part Number
 Not Combinable for qty. price	2.25" Dia. .662" Thick 1.023" Bore 60° Angle Note: For VIP press only	Slitter	013-0000-000
		2 x .031"	013-0002-031
		3 x .031"	013-0003-031
		4 x .031"	013-0004-031
		5 x .031"	013-0005-031
		6 x .031"	013-0006-031
		7 x .031"	013-0007-031
		8 x .031"	013-0008-031
		10 x .031"	013-0010-031
		12 x .031"	013-0012-031
		16 x .031"	013-0016-031
		30 Micro	013-0030-004
		50 Micro	013-0050-004
		72 Micro	013-0072-004
	Ties From: .020"-.060"		
Drent	Size	Cut x Tie	Part Number
 Not Combinable for qty. price	1.97" Dia. .250" Thick .748" Bore 60° Angle	Slitter	011-0000-000
		2 x .031"	011-0002-031
		3 x .031"	011-0003-031
		4 x .031"	011-0004-031
		5 x .031"	011-0005-031
		6 x .031"	011-0006-031
		7 x .031"	011-0007-031
		8 x .031"	011-0008-031
		10 x .031"	011-0010-031
		12 x .031"	011-0012-031
		16 x .031"	011-0016-031
		30 Micro	011-0030-004
		50 Micro	011-0050-004
		72 Micro	011-0072-004
	Ties From: .020"-.060"		
Hamilton	Size	Cut x Tie	Part Number
 Not Combinable for qty. price	3.02" Dia. .244" Thick .8667" Bore 60° Angle Also Fits: Stevens	Slitter	005-0000-000
		2 x .031"	005-0002-031
		3 x .031"	005-0003-031
		4 x .031"	005-0004-031
		5 x .031"	005-0005-031
		6 x .031"	005-0006-031
		7 x .031"	005-0007-031
		8 x .031"	005-0008-031
		10 x .031"	005-0010-031
		12 x .031"	005-0012-031
		16 x .031"	005-0016-031
		30 Micro	005-0030-004
		50 Micro	005-0050-004
		72 Micro	005-0072-004
	Ties From: .020"-.060"		



Slitter & Perf Wheels


Goebel 70	Size	Cut x Tie	Part Number
 Not Combinable for qty. price	2.755" Dia. .078" Thick 1.575" Bore 60° Angle Ties From: .020"-.060"	Slitter	070-0000-000
		2 x .031"	070-0002-031
		3 x .031"	070-0003-031
		4 x .031"	070-0004-031
		5 x .031"	070-0005-031
		6 x .031"	070-0006-031
		7 x .031"	070-0007-031
		8 x .031"	070-0008-031
		10 x .031"	070-0010-031
		12 x .031"	070-0012-031
		16 x .031"	070-0016-031
		30 Micro	070-0030-004
		50 Micro	070-0050-004
		72 Micro	070-0072-004
Heidelberg	Size	Cut x Tie	Part Number
 Not Combinable for qty. price	1.181" Dia. .035" Thick .748" Bore 35° Angle Ties From: .020"-.060"	Slitter	016-0000-000
		2 x .031"	016-0002-031
		3 x .031"	016-0003-031
		4 x .031"	016-0004-031
		5 x .031"	016-0005-031
		6 x .031"	016-0006-031
		7 x .031"	016-0007-031
		8 x .031"	016-0008-031
		10 x .031"	016-0010-031
		12 x .031"	016-0012-031
		16 x .031"	016-0016-031
		30 Micro	016-0030-004
		50 Micro	016-0050-004
		72 Micro	016-0072-004
Muller	Size	Cut x Tie	Part Number
 Not Combinable for qty. price	3.02" Dia. .204" Thick .748" Bore 45° Angle Ties From: .020"-.060"	Slitter	008-0000-000
		2 x .031"	008-0002-031
		3 x .031"	008-0003-031
		4 x .031"	008-0004-031
		5 x .031"	008-0005-031
		6 x .031"	008-0006-031
		7 x .031"	008-0007-031
		8 x .031"	008-0008-031
		10 x .031"	008-0010-031
		12 x .031"	008-0012-031
		16 x .031"	008-0016-031
		30 Micro	008-0030-004
		50 Micro	008-0050-004
		72 Micro	008-0072-004

Goebel 85	Size	Cut x Tie	Part Number
 Not Combinable for qty. price	3.345" Dia. .078" Thick 1.575" Bore 60° Angle Ties From: .020"-.060"	Slitter	080-0000-000
		2 x .031"	080-0002-031
		3 x .031"	080-0003-031
		4 x .031"	080-0004-031
		5 x .031"	080-0005-031
		6 x .031"	080-0006-031
		7 x .031"	080-0007-031
		8 x .031"	080-0008-031
		10 x .031"	080-0010-031
		12 x .031"	080-0012-031
		16 x .031"	080-0016-031
		30 Micro	080-0030-004
		50 Micro	080-0050-004
		72 Micro	080-0072-004
Morgan	Size	Cut x Tie	Part Number
 Not Combinable for qty. price	1.97" Dia. .236" Thick .748" Bore 60° Angle Ties From: .020"-.060"	Slitter	017-0000-000
		2 x .031"	017-0002-031
		3 x .031"	017-0003-031
		4 x .031"	017-0004-031
		5 x .031"	017-0005-031
		6 x .031"	017-0006-031
		7 x .031"	017-0007-031
		8 x .031"	017-0008-031
		10 x .031"	017-0010-031
		12 x .031"	017-0012-031
		16 x .031"	017-0016-031
		30 Micro	017-0030-004
		50 Micro	017-0050-004
		72 Micro	017-0072-004
New Era	Size	Cut x Tie	Part Number
 Not Combinable for qty. price	2.187" Dia. .245" Thick .500" Bore 60° Angle Ties From: .020"-.060"	Slitter	009-0000-000
		2 x .031"	009-0002-031
		3 x .031"	009-0003-031
		4 x .031"	009-0004-031
		5 x .031"	009-0005-031
		6 x .031"	009-0006-031
		7 x .031"	009-0007-031
		8 x .031"	009-0008-031
		10 x .031"	009-0010-031
		12 x .031"	009-0012-031
		16 x .031"	009-0016-031
		30 Micro	009-0030-004
		50 Micro	009-0050-004
		72 Micro	009-0072-004





Slitter & Perf Wheels


PCM	Size	Cut x Tie	Part Number
 Not Combinable for qty. price	3.00" Dia. .375" Thick 1.18" Bore 60° Angle	Slitter	018-0000-000
		2 x .031"	018-0002-031
		3 x .031"	018-0003-031
		4 x .031"	018-0004-031
		5 x .031"	018-0005-031
		6 x .031"	018-0006-031
		7 x .031"	018-0007-031
		8 x .031"	018-0008-031
		10 x .031"	018-0010-031
		12 x .031"	018-0012-031
		16 x .031"	018-0016-031
		30 Micro	018-0030-004
		50 Micro	018-0050-004
		72 Micro	018-0072-004
	Ties From: .020"-.060"		
Schriber-Harris	Size	Cut x Tie	Part Number
 Not Combinable for qty. price	2.625" Dia. .248" Thick .748" Bore 60° Angle Also Fits: Edelmann- Formall Rotatek	Slitter	022-0000-000
		2 x .031"	022-0002-031
		3 x .031"	022-0003-031
		4 x .031"	022-0004-031
		5 x .031"	022-0005-031
		6 x .031"	022-0006-031
		7 x .031"	022-0007-031
		8 x .031"	022-0008-031
		10 x .031"	022-0010-031
		12 x .031"	022-0012-031
		16 x .031"	022-0016-031
		30 Micro	022-0030-004
		50 Micro	022-0050-004
		72 Micro	022-0072-004
	Ties From: .020"-.060"		
Taiyo	Size	Cut x Tie	Part Number
 Not Combinable for qty. price	2.765" Dia. .315" Thick 1.023" Bore 60° Angle	Slitter	020-0000-000
		2 x .031"	020-0002-031
		3 x .031"	020-0003-031
		4 x .031"	020-0004-031
		5 x .031"	020-0005-031
		6 x .031"	020-0006-031
		7 x .031"	020-0007-031
		8 x .031"	020-0008-031
		10 x .031"	020-0010-031
		12 x .031"	020-0012-031
		16 x .031"	020-0016-031
		30 Micro	020-0030-004
		50 Micro	020-0050-004
		72 Micro	020-0072-004
	Ties From: .020"-.060"		

PCM	Size	Cut x Tie	Part Number
 Not Combinable for qty. price	1.875" Dia. .195" Thick .629" Bore 40° Angle	Slitter	118-0000-000
		2 x .031"	118-0002-031
		3 x .031"	118-0003-031
		4 x .031"	118-0004-031
		5 x .031"	118-0005-031
		6 x .031"	118-0006-031
		7 x .031"	118-0007-031
		8 x .031"	118-0008-031
		10 x .031"	118-0010-031
		12 x .031"	118-0012-031
		16 x .031"	118-0016-031
		30 Micro	118-0030-004
		50 Micro	118-0050-004
		72 Micro	118-0072-004
	Ties From: .020"-.060"		
Seailles & Tisen	Size	Cut x Tie	Part Number
 Not Combinable for qty. price	2.36" Dia. .275" Thick .866" Bore 45° Angle	Slitter	019-0000-000
		2 x .031"	019-0002-031
		3 x .031"	019-0003-031
		4 x .031"	019-0004-031
		5 x .031"	019-0005-031
		6 x .031"	019-0006-031
		7 x .031"	019-0007-031
		8 x .031"	019-0008-031
		10 x .031"	019-0010-031
		12 x .031"	019-0012-031
		16 x .031"	019-0016-031
		30 Micro	019-0030-004
		50 Micro	019-0050-004
		72 Micro	019-0072-004
	Ties From: .020"-.060"		
Timson	Size	Cut x Tie	Part Number
 Not Combinable for qty. price	1.75" Dia. .187" Thick .511" Bore 60° Angle	Slitter	025-0000-000
		2 x .031"	025-0002-031
		3 x .031"	025-0003-031
		4 x .031"	025-0004-031
		5 x .031"	025-0005-031
		6 x .031"	025-0006-031
		7 x .031"	025-0007-031
		8 x .031"	025-0008-031
		10 x .031"	025-0010-031
		12 x .031"	025-0012-031
		16 x .031"	025-0016-031
		30 Micro	025-0030-004
		50 Micro	025-0050-004
		72 Micro	025-0072-004
	Ties From: .020"-.060"		




Slitter & Perf Wheels

 Not Combinable for qty. price	Ukita	Size	Cut x Tie	Part Number	 Not Combinable for qty. price	Western Gear	Size	Cut x Tie	Part Number
	1.29" Dia. .035" Thick .748" Bore 35° Angle	Slitter	021-0000-000	2.625" Dia.		Slitter	026-0000-000		
		2 x .031"	021-0002-031	.375" Thick		2 x .031"	026-0002-031		
		3 x .031"	021-0003-031	1.312" Bore		3 x .031"	026-0003-031		
		4 x .031"	021-0004-031	60° Angle		4 x .031"	026-0004-031		
		5 x .031"	021-0005-031			5 x .031"	026-0005-031		
		6 x .031"	021-0006-031			6 x .031"	026-0006-031		
		7 x .031"	021-0007-031			7 x .031"	026-0007-031		
		8 x .031"	021-0008-031			8 x .031"	026-0008-031		
		10 x .031"	021-0010-031			10 x .031"	026-0010-031		
		12 x .031"	021-0012-031			12 x .031"	026-0012-031		
		16 x .031"	021-0016-031			16 x .031"	026-0016-031		
		30 Micro	021-0030-004			30 Micro	026-0030-004		
		50 Micro	021-0050-004			50 Micro	026-0050-004		
		72 Micro	021-0072-004			72 Micro	026-0072-004		
Ties From: .020"-.060"		Ties From: .020"-.060"							
 Not Combinable for qty. price	Witt	Size	Cut x Tie	Part Number					
	2.625" Dia. .285" Thick .750" Bore 60° Angle	Slitter	028-0000-000						
		2 x .031"	028-0002-031						
		3 x .031"	028-0003-031						
		4 x .031"	028-0004-031						
		5 x .031"	028-0005-031						
		6 x .031"	028-0006-031						
		7 x .031"	028-0007-031						
		8 x .031"	028-0008-031						
		10 x .031"	028-0010-031						
		12 x .031"	028-0012-031						
		16 x .031"	028-0016-031						
		30 Micro	028-0030-004						
		50 Micro	028-0050-004						
		72 Micro	028-0072-004						
Ties From: .020"-.060"									

Score	Score wheels and Ironer wheels are available for all slitter wheels in our catalog. Specify part number of slitter and radius or flat required when ordering.		Ironer
	Score		Ironer
	Radius		Flat
	.015"		.015" to .090"
	.020"		
	.030"		
	.040"		
	.060"		
	.090"		
Note: for Doverstar, Heidelberg & Ukita call for pricing			



Slitter & Perf Wheel Holders



Press Make

Ashton
ATF
Cameron/Hamilton
Didde
Schriber/Harris
Stevens
Taiyo
Western Gear

Quick Change Conversion Kit


Please specify press type for the holder and style of wheel that will be used.

Replacement parts available

FME holders offer the finest quality and performance available today. Heavy duty construction and precise tolerances produce a holder which will provide years of worry-free service. We now offer our holders in a new quick change style as well as the original. Both styles have micro adjust controls for tension and lateral adjustments. Both styles can accept any wheel type so you can use any style perf or slitter wheel you choose. For example, you could use the less costly Schriber wheels with Didde holders. You can simplify your spare parts inventory by ordering only one style wheel for all your different press makes.

Special Holders




Please furnish the following dimensions when ordering



Dimension A
Dimension B
Dimension C
Diameter D - Holder Shaft
Diameter E - Circular Knife
Diameter F - Anvil Cylinder







Collator Slitters

	STYLE	PART #
	Arpeco Upper Lower	001-0001-000 001-0002-000
	2.56" O.D. x 1.52" I.D. x .125" Thick-Upper 2.56" O.D. x 1.52" I.D. x .125" Thick-Lower	
	Dished Shear Slitter	001-0003-000
	2.52" O.D. x 1.575" I.D. x .039" Thick	
	STYLE	PART #
	Didde Form Flo Rotatek Schriber/Harris	022-0001-000
	3.56" O.D. x 1.75" I.D. x .132" Thick	
	Lower Anvil Newer Collators Older Collators	022-0002-000 022-0003-000
	STYLE	PART #
	Western Gear	026-0001-000
	4.062" O.D. x 1.97" I.D. x .19" Thick	
	STYLE	PART #
	Cameron	005-0001-000
	4.5" O.D. x 1.25" I.D. x .093" Thick 45° Angle	







Collator Slitters

	STYLE	PART #
	Hamilton	
	Upper	008-0001-000
	Lower	008-0002-000
	4" O.D. x 2.875" I.D. x .062" Thick-Upper 4.125" O.D. x 2.875" I.D. x .062" Thick-Lower	
	STYLE	PART #
	Witt	028-0001-000
	3" O.D. x 1.25" I.D. x .062" Thick	
	STYLE	PART #
	Dished Slit- ter Knife	009-0001-000
	3" O.D. x 1.75" I.D. x .063" Thick	
	Dished Slit- ter Knife	009-0002-000
	4.33" O.D. x 3.187" I.D. x .063" Thick	
	STYLE	PART #
	Shear Slitter	009-0004-000
	5" O.D. x 2.875" I.D. x .093" Thick 30° Angle – High Alloy	




Collator Slitters

	STYLE	PART #
	Core Cutter Double Bevel	007-0002-000
	3.50" O.D. x 1.565" I.D. x .033" Thick 30° Angle – 3 Mounting Holes	
	Fits Greg, Ryan, Penco & Western Gear	
	STYLE	PART #
	Dished Shear Slitter	009-0003-000
	2.441" O.D. x 1.575" I.D. x .039" Thick	
	STYLE	PART #
	Core Cutter Single Bevel	007-0001-000
	3.75" O.D. x 1.565" I.D. x .084" Thick 30° Angle – 3 Mounting Holes	
	STYLE	PART #
	Western Gear Carbon Trimmer Blade	000-0009-018
	5.046" O.D. x .625" Thick x 1/2-13 Tap	



Collator Crimps

Ashton




1 1/2"L x 3/16"W x 3/4"H

PART NUMBER

002-0200-001 Right/Left
002-0200-003 Center

Ashton Anvil




1 1/2"L x 1/4"W x 11/16"H

PART NUMBER

002-0400-002

Bielomatik




"L" x .498"W x .930"H

PART NUMBER

004-3500-000 L=.369"
004-3502-000 L=.369"
004-3501-000 L=.513"

Bunch




3/8"L x 1/2"W x "H"

PART NUMBER

008-0500-004 H=.650"
008-0600-004 H=1.21"

Didde 1/8"




3/4"L x 1/8"W x 1/2"H

PART NUMBER

006-0100-001 Right
006-0100-002 Left
006-0900-004 Center

Didde 1/4"




3/4"L x 1/4"W x 1/2"H

PART NUMBER

006-0200-001 Right
006-0200-002 Left
006-0200-004 Center

Didde Double




3/4"L x 1/4"W x 1/2"H

PART NUMBER

006-0300-001 Double

Didde Cleanout



.456"L x .250"W x 1.375"H


PART NUMBER

006-0000-004 Cleanout



Collator Crimps

FME



Deluxe: 1 1/2"L x 5/16"W x 1/2"H
Elite: 3/8"L x 1/2"W x "H"

PART NUMBER


Deluxe

022-0100-005 Center
022-0100-004 Double

Elite (center crimps)

008-0500-004 H= .650"
008-0900-004 H= .950"

Form Flo & Hamilton Center




3/8"L x 1/2"W x "H"

PART NUMBER

008-0500-004 H= .652"
008-0900-004 H= .950"
008-0800-004 H= 1.03"
008-0600-004 H= 1.21"
008-0400-004 H= 1.235"
008-0700-004 H= 1.50"

Form Flo & Hamilton Double




3/8"L x 1/2"W x "H"
Specify .045 or .090 center split

PART NUMBER

008-1500-004 H= .652"
008-1300-004 H= .675"
008-1900-004 H= .950"
008-1800-004 H= 1.03"
008-1600-004 H= 1.21"
008-1400-004 H= 1.235"
008-1700-004 H= 1.50"

Form Flo & Hamilton Half




3/8"L x 1/2"W x "H"

PART NUMBER

008-2500-004 H= .652"
008-2300-004 H= .675"
008-2900-004 H= .950"
008-2800-004 H= 1.03"
008-2600-004 H= 1.21"
008-2400-004 H= 1.235"
008-2700-004 H= 1.50"

Form Flo Cleanout




3/4"L x 1/8"W x 1.047"H
Specify 1/2" or 5/8" bore

PART NUMBER

000-0000-009 1/2" bore
000-0000-008 5/8" Bore

Hamilton Cleanout




3/4"L x 1/8"W x 1.437"H

PART NUMBER

008-0000-999 Cleanout

Morgan




MCR MCL MCS

11/32"L x 1/2"W x "H"

PART NUMBER

MCL-790 H= .790"
MCR-1258 H= 1.258"
MCS-1258 H= 1.258"

PCM



1/2"L x 3/8"W x "H"


PART NUMBER

018-0100-001 H= .593"
018-0100-002 H= 1.03"
center only



Collator Crimps

Sanden




1 1/2"L x 3/16"W x 3/4"H

PART NUMBER

002-0200-001 Right/Left
002-0200-003 Center

Sanden




1 1/2"L x 1/8"W x 3/4"H

PART NUMBER

022-0200-001 Right
022-0200-002 Left
022-0200-003 Center

Schober




.968"L x .352"W x "H"

PART NUMBER

215-0100-001 H=.437"Right
215-0100-002 H=.437"Left
215-0200-001 H=.625"Right
215-0200-002 H=.625"Left
215-0100-003 H=.437"Center
215-0200-003 H=.625"Center
215-0100-004 H=.437"Double
215-0200-004 H=.625"Double

Schriber Harris 1/8"




1 1/2"L x 1/8"W x 3/4"H

PART NUMBER

022-0200-001 Right
022-0200-002 Left
022-0200-003 Center

Schriber Harris 1/4"




1 1/2"L x 1/4"W x 3/4"H

PART NUMBER

022-0200-006 Right
022-0200-007 Left
022-0200-005 Center

Schriber Harris 5/16"




1 1/2"L x 5/16"W x 3/4"H

PART NUMBER

022-0700-004 Right
022-0800-007 Left
022-0300-004 Center
022-0200-004 Double

Schriber Harris Cleanouts




PART NUMBER

022-0000-005 Teeth:4
1/2"L x 1/8"W x 1.57"H

022-0000-006 Teeth:8
3/4"L x 1/8"W x 1.5"H

022-0000-007 Teeth:16
1 1/2"L x 1/8"W x 1.75"H

Harris 750 Cleanout



1 1/2"L x 1/8"W x 1 1/8"H

PART NUMBER

022-0000-008



Collator Crimps

Seailles & Tison

Also Fits
BAMA
Collators




.550"L x .730"W x .393"H

PART NUMBER

027-0200-001 Right
027-0200-002 Left

Stevens




5/8"L x 1/8"W x 5/8"H

PART NUMBER

002-0200-003 Center

Taiyo




1 1/2"L x .312"W x .827"H

PART NUMBER

please call for information

Timson




.375"L x .498"W x .484"H

PART NUMBER

025-0023-619

Western Gear 1/8"




1 1/2"L x 1/8"W x 3/4"H

PART NUMBER

022-0200-001 Right
022-0200-002 Left
022-0200-003 Center

Western Gear 1/4"




1 1/2"L x 1/4"W x 3/4"H

PART NUMBER

022-0200-006 Right
022-0200-007 Left
022-0200-005 Center

Western Gear 5/16"




1 1/2"L x 5/16"W x 3/4"H


PART NUMBER

022-0700-004 Right
022-0800-007 Left
022-0300-004 Center
022-0200-004 Double

Identification Of Crimps



Pin Bands



Ashton/Sanden

1" Center x 3/4" wide	Part #002-0038-075
1" Center x 1 1/16" wide	Part #002-0038-116
1" Center x 1 1/2" wide	Part #002-0038-112
1" Center x 2" wide	Part #002-0038-120

Didde

38 pins x 1"C x 1 1/2" wide	Part #006-0149-908
-----------------------------	--------------------

Schriber/Harris

1" Center x 1 1/2" wide	Part #022-3000-100
-------------------------	--------------------

Hamilton

1" Center Pins • 100 FT. Coil	Call for information
2" Center Pins • 100 FT. Coil	

Witt

1" Center Pins x 1 1/2" wide	Part #028-3000-100
------------------------------	--------------------

Western Gear

Rolsnap	
47 hole-45 pins 1" x Lg. collar	Part #000-8743-137
72 hole-70 pins 1" x Lg. collar	Part #000-8743-138
50 Foot Roll	Part #020-1400-202
Speed Flex	
47 hole-45 pins 1" x Sm.collar	Part #000-8740-956
72 hole-70 pins 1" x Sm.collar	Part #000-8740-955
50 Foot Roll	Part #020-1400-205

Western Gear

Dart

44 hole-42 pins 1" x Sm.collar	Part #000-8745-329
83 hole-81 pins 1" x Sm.collar	Part #000-8745-330
89 hole-87 pins 1" x Sm collar	Part #000-8745-792
50 Foot Roll	Part #020-1400-205

Mark

35 hole-33 pins 1.5" x Sm.collar	Part #000-8747-412
49 hole-47 pins 1.5" x Sm.collar	Part #000-8747-132
99 hole-97 pins 1.5" x Sm.collar	Part #000-8747-200
35 hole-33 pins 1.5" x Lg.collar	Part #000-8748-354
39 hole-37 pins 1.5" x Lg.collar	Part #000-8748-514
49 hole-47 pins 1.5" x Lg.collar	Part #000-8748-355
63 hole-61 pins 1.5" x Lg.collar	Part #000-8748-507
74 hole-72 pins 1.5" x Lg.collar	Part #000-8748-967
99 hole-97 pins 1.5" x Lg.collar	Part #000-8748-356
143 hole-141 pins 1.5" x "	Part #000-8748-143
153 hole-151 pins 1.5" x "	Part #000-8748-479
307 hole-305 pins 1.5" x "	Part #000-8748-307
50 Foot Roll-Sm.collar	Part #020-1400-206
50 Foot Roll-Lg. collar	Part #020-1400-201

Pin Band Belting

50 Foot Roll-No holes	Part #020-0142-203
50 Foot Roll-With holes	Part #020-0140-203
belting supplied with 5/16" dia holes	

Hamilton Pins



3/16"	Part #008-3000-000
1/4"	Part #008-2000-000

Hamilton Buttons



3/16"	Specify Metal or Plastic
1/4"	Specify Metal or Plastic

Western Gear Pins



Standrad	Part #026-2000-000
Small	Part #026-2000-001

Western Gear Buttons



Large	Part #026-2000-003
Small	Part #026-2000-004

Witt Pins




Part #028-3000-000

Witt Buttons



Part #028-3000-001



Pin Band Assy & Removal Tool

Part #026-0400-000



Pin Bands

Pin Band Splices

Western Gear

5 hole splice x 1 1/16"

5 hole splice x 1 1/2"

Harris

21 hole splice

Hamilton

19 hole splice 1" C


20 hole splice 2" C



Throw Length Gauge

FME's Throw Length Gauge

The accurate way to check sheet lengths. Available in both the standard gauge with 3 pins on each end with a length of 14 1/3 ft. (1/32" short) and our favorite with pins every 2 inches with a length of 10 ft. ("on").



Standard 14 1/3 Ft. Part No. 100-3000-000


Special 10 Ft. Part No. 100-1000-000

Litho Perf

Side Series	Part# 10 ft	Part# 20 ft	Product Use	Teeth/ Inch
10 ft coils	820	821	Paper	3T
	822	824	Paper	4T
20 ft coils	823	825	Card	4T
	800	808	Paper	6T
	801	809	Card	6T
	802	810	Paper	8T
	803	811	Card	8T
	804	812	Paper	12T
	805	813	Card	12T
	806	814	Paper	16T
	807	815	Card	16T
	828	830	Paper	Slit
	829	831	Card	Slit
	833	832	Card	Str.Cut
	826	827	Paper	Score
	826-3	827-3	Card	Score

Center Series	Part# 10 ft	Part# 20 ft	Product Use	Teeth/ Inch
10 ft coils	620	621	Paper	3T
	622	624	Paper	4T
20 ft coils	623	625	Card	4T
	600	608	Paper	6T
	601	609	Card	6T
	602	610	Paper	8T
	603	611	Card	8T
	604	612	Paper	12T
	605	613	Card	12T
	606	614	Paper	16T
	607	615	Card	16T
	628	630	Paper	Slit
	629	631	Card	Slit
	626	627	Paper	Score
	626-1	627-2	Card	Score

Micro Perf	Teeth/in.	Part#
10 ft coils	30Tooth	300
20 ft coils		301
10 ft coils	40Tooth	400
20 ft coils		401
10 ft coils	50 Tooth	500
20 ft coils		501



Cutting Rule

Cutting Rule

.840" to 1" x 2 point

SharpOne Cutting Rule is used by more business forms manufacturers than any other brand. **SharpOne** delivers uncompromised precision and quality which produce smoother penetration and cleaner cuts. Stocked in coils of 150 ft & 300 ft. Cut lengths add \$.08 per cut(min. qty. 25). Specify Sideface or Centerface and standard hardness or extra hard. Centerface Double Bevel available - add \$.10 per foot.

Standard Perforating Rule

Perf Rule

.840" to 1" x 2 point

QZ3 Perforating Rule is the third generation, high technology perforating rule which decisively out-performs and dramatically outlasts all other perf rules. **QZ3** also is the first choice of business forms manufacturers everywhere. Stocked in coils of 150 ft & 300 ft. Cut lengths available (min. qty. 25). Specify Sideface or Centerface Double Bevel.

Micro Perforating Rule

Invisible Perf

.918",.937",.938" x 2 point

Invisible Perforating Rule is the most economical microperf designed for all single part and thin stock applications. For over a decade, **Invisible Perf** has set the standards in quality and performance in microperf technology. Available in 30, 40, 50, 60, and 70 TPI. Stocked in coils of 100 ft & 300 ft. Cut lengths available (min. qty. 25).

Micro Max

Micromax

.918",.937",.938" x 2 point

New **MicroMax** is here! With it's deeper depth (.020" vs. .006") and square tooth design, **MicroMax** delivers ultimate production performance and superior product quality - plus at least three times the blade life in all microperf applications including multiple parts and heavy stocks. Available in cut lengths (up to 36") only in 30, 40, 50, 60, 70, and 100 TPI.(**add 25% to prices for 100 TPI**)

Rule Cutters


Save money! Cut your rule from economical bulk coils without any waste. Choose from our simple and economical hand held cutter or our heavy duty bench top cutter.

Hand Held Model
Part No. 000-0010-000


Bench Top Model
Part No. 000-0010-100



Tape



Perf Splice Tape Part Number
 3/8" Invisible Splice Tape 000-0810-000
 72 yard rolls
 1/4" Invisible Splice Tape 000-0810-001
 72 yard rolls
 3/8" Thermal Splice Tape 000-3800-000
 15 yard rolls



A convenient way to hold forms in alignment for splicing. Our splicing board is heavy duty and built to last, splices webs to 22" wide.
 Part Number 100-4000-000

Transfer Tape

Removable: used in applications that require short term adherence and ease of removal.


White Opaque: designed for the business forms industry, this adhesive will mask the effects of oils bleeding through light weight paper.

Permanent: used in applications that require long term adhesion when permanent bonds are necessary.

Permanent/Removable: created to be repositioned on the surface without leaving any adhesive residue. It has a removable style adhesive on one side and a permanent on the other.

Call FME for complete information and pricing.

Static Eliminator




Part Number 000-0026-110
 per 72' roll

100% all copper tinsel eliminates static electricity naturally. Use it on all your presses and bindery equipment as well as any other equipment that builds up static electricity.



Velcro




With Salvage Edge
Part No. 000-0029-000



No Salvage Edge
Part No. 000-0029-001

Our most popular idler roller covering. We offer it in two styles with salvage edge or without. The salvage edge is a 1/8" bare edge on both sides of the loops that can be overlapped during installation. Both styles have full uncut loops and adhesive backs and are available in 2" wide x 25 yards rolls.

Perforated Metal




Part No. 000-0030-000

The most economical idler roller covering. Perforated Metal, popularly called "cheese grate", offers years of use, easy & fast to clean up. Packed in 1 1/2" wide x 500 foot rolls. Requires Double Sticky Back Tape for installation.

Double Sticky Back Tape - 2" x 108 feet - 3M Brand
P.N. 000-0031-000

Safety Walk



Part No. 000-0032-000

Used by most equipment manufacturers. 3M brand Safety Walk comes with medium grit and adhesive backed. Available in 2" x 60 foot rolls.





- Improved blanket release for up to 3 times the runs between washups.
- Brighter, cleaner colors on a variety of substrates with minimal dot gain.
- Marking and tracking is reduced even on difficult stock.
- Improved mileage.
- Reduction in picking and linting problems.
- Environmentally friendly.

Rotary Soybrite is based on a new oil and resin technology which has shown a remarkable improvement in performance over previously available business forms inks. Rotary Soybrite is available for all PMS colors.

Color	Color
Yellow	Dense Black
Warm Red	Numbering Red
Rubine Red	–packed in 2# cans
Rhodamine Red	165 Orange
	185 Red
Process Blue	199 Red
Reflex Blue	286 Blue
Green	293 Blue
Purple	300 Blue
Violet	347 Green
Trans. White	



Tinting Dyes & Inks

Concentrated tinting dyes designed and approved for use with the solvent base GP Tinters. Mixing Ratio: Dye/Solvent, 1:10		
1:10 Color	Dye No.	
Canary	74-577	Quote Only
Warm Red	74-578	
Rubine Red	74-782	
Process Blue	74-579	
Reflex Blue	74-781	
Green	74-783	
Goldenrod	74-784	
Gray	75-476	
Salmon	76-488	
Ivory	75-566	
Note: Buff may be obtained by diluting Goldenrod		
Quantity pricing: 10 pails or more ordered, deduct \$20 per each 5 gallon pail price. Colors may be combined to obtain quantity prices.(5 gallon pail=40 lbs dye approximately) Due to the variables in shipping costs for this product, inland freight will be assessed and added for each shipment from the factory (FOB New York). Light fast dyes also available, call for current pricing.		

Water Base Tinting Inks

A full range of PMS colors are now available for the new water base GP Tinters. Superior lightfastness with high quality coverage are just some of the characteristics of this pigmented inks designed exclusively for the new GP Tinters. In addition, a full selection of special security coatings are now available. Contact FME for complete details on the new water base tinting technology.



Ink Knives




Plastic Ink Knives

3" x 7.5" Blade
 3" x 4.5" Blade
 4" x 4" Blade
 5.5" x 4.5" Blade

Ink Grabber

A simple, easy way to remove ink from your fountain solution without altering the chemistry. Simply drop the Ink Grabber in the recirculator and it does the rest, absorbing many times its own weight in suspended ink.




#000-0002-000

Durometer Testers

Quality control for ink and water rollers. Both models come with a lifetime warranty.

Model 1500
 P.N.000-1500-000

Mini Dial
 P.N.000-1000-000





Alcohol Testers

Standard model measures 5 to 28% alcohol.
 P.N. 000-0019-000
 Low range model measures from 1 to 12%.
 P.N. 000-0028-000

Pantone Color Formula Guide

Provides a synchronized system for color selection and identification. It is the primary reference for printers with a mixing formula for each of the 747 Pantone colors on both coated & uncoated stocks. Due to color fade, it is recommended to replace your guides annually to keep accurate color consistency.


Part No. 000-9001-000



FME Blanket Program

FME's Blanket Program allows our customers to have immediate shipment of all their blanket needs at reduced prices. The program couldn't be more simple to use - just call and tell us you would like to join the program, give us a list of your blanket sizes and approximate monthly usage of each, and that's it. Each month you will receive a call to see which blankets and what quantities you will require. Then you will receive them in a few days (or the next day if you're in a hurry). You will always receive the 12 or more quantity price **PLUS** an extra **5%**. The Blanket Program is valid on any type blanket or manufacturer. Call us today to join up and start saving money, time and inventory on your printing blankets.

New program start ups require 2 - 3 weeks.



Blanket Micrometer

Take the guess work out of measuring blankets. Accurate to the thousandths and easy to read.

PN 1/2-BLKT-MIC



QuickFix Blanket Restorer

Brings battered blankets back to their original condition. Environmentally safe.

PN 000-0024-000

Packing Gauge


Check plate and blanket undercuts, over-bearer dimensions, and print pressure correctly and accurately. Comes complete with instructions and protective case.

PN 000-1600-000




Blanket Scrubber

Replaces over 300 shop rags. The nylon pocket contains a cellulose sponge that holds a reservoir of solvent which quickly cleans and renovates the surface with every blanket wash.



Offset Blankets



Adhesive Backed

Product	Thickness
---------	-----------

Standard

Type 100T	.034"
Type 100M	.0355"
Type 100S	.037"
Type 100D	.0385"
Type 100R	.039"
Type 100RT	.041"
Type 100RTT	.043"

Reinforced

Type 100M-RE	.0355"
Type 100S-RE	.037"

Carbonless

Type 120M	.0355"
Type 120S	.037"
Type 120D	.0385"

U.V.

Type 150M	.0355"
Type 150S	.037"

U.V. & Conventional

Type 170M	.0355"
Type 170S	.037"
Type 175M	.0355"
Type 175S	.037"
Type 175R	.039"

Fabric Backed	Ply	Fabric Backed	Ply
PT-PS	3	XT 555	3
	4		4
Polycell	3	XT 650	3
	4		4
Polycell 2	3	XT 750	3
	4		4
XT 450	3	XT UV	3
	4		4
Web Bars	Web Bars	Web Bars	
Aluminum	Steel (widths: .5", .75", 1")	Combination	
Up to 40"	.020" Thick	Riveted	
Over 40"	.032" Thick	Riveted/Steel	
	.042" Thick	Steel/Aluminum	

Pricing: around measurement x across measurement x price/sq.in.

When ordering, specify **around** dimension x **across** dimension



Offset Blankets




Web Bars Extruded Up to 40" Over 40" Riveted Up to 40" Over 40"	Punching Up to 36" Over 36"-50"
Pricing: around measurement x across measurement x price/sq.in. When ordering, specify around dimension x across dimension	

Adhesive Backed	
Product	Thickness
8413 StickyBak	.034", .0355" .037", .039"
Fabric Backed	
Product	Thickness
8212 Blue Ribbon	2 ply-.052" 3 ply-.066" 4 ply-.076" 5 ply-.101"
8500 AccuDot	3 ply-.067" 4 ply-.076"
8700 AccuDot	3 ply-.067" 4 ply-.076" 5 ply-.101"
9500 dayGraphica	3 ply-.067" 4 ply-.076"
9600 dayGraphica	3 ply-.067" 4 ply-.076"
9700 dayGraphica	3 ply-.067" 4 ply-.076"



Offset Blankets



SR - Super Release available for the Vulcan 2000 Plus, Vulcan 578 and the Vulcan Reflection offers a special buffed surface finish which offers an even greater degree of paper release, excellent ink transfer, resistance to piling, and easier cleaning.

Web Bars

Aluminum
Riveted
Heat Set

Punching

Up to 36"
Over 36"-50"
Over 50"-62"
Over 62"

Notching

Pricing: around measurement x across measurement x price/sq.in.
When ordering, specify **around** dimension x **across** dimension

Adhesive Backed


Product	Thickness
Vulcan RF 901 (Royal Form)	.0355", .0375", .041"
Vulcan ND999 (Nondirectional)	.0355", .0375", .041"
Vulcan ND999 U.V. (Nondirectional)	.0355", .0375", .041"

Fabric Backed

Product	Thickness
Vulcan 714	3 ply-.067" 4 ply-.077"
Vulcan 2000 Plus	3 ply-.067" 4 ply-.077"
Vulcan 2000 Plus SR (Super Release)	3 ply-.067" 4 ply-.077"
Vulcan Reflection	3 ply-.067" 4 ply-.077"
Vulcan Reflection SRF (Super Release)	3 ply-.067" 4 ply-.077"
Vulcan Marathon	3 ply-.067" 4 ply-.077"
Vulcan 578 SR (Super Release)	3 ply-.067" 4 ply-.077"
Vulcan Horizon	3 ply-.067" 4 ply-.077"
Vulcan U.V.	3 ply-.067" 4 ply-.077"
Vulcan 914	3 ply-.067" 4 ply-.077"
Vulcan Durofyne	2 ply




Straight Numbering Machines



Curved Base 7 Wheel
9 Wheel
Flat Base 7 Wheel
9 Wheel


Parts Diagram Straight



1. Unit Wheels Consecutive Skip 2-4 & 10 Skip 5-9	9. Unit Retaining Pawl
2. Tens Wheels D/C or Solid Letters	10. Tens Retaining Pawl
3. Actuating Pawl Pin 7 WL 9 WL	11. Retaining Pawl Spring
4. Swing 7 WL 9 WL	12. Gib Locking Screw 7 WL 9 WL
5. Actuating Pawl Spring	13. "E" Ring
6. Actuating Pawl	14. Retaining Pawl Pin 7 WL 9 WL
7. Tube Shaft 7 WL Solid D/C 9 WL Solid D/C	15. Gib Holding Screw
8. Operating Arm 7 WL 9 WL	16. Base Loc. Spring Screw
	17. Gib
	18. Case Curved Base 7WL 9 WL
	19. Tube Shaft Set Screw
	20. Case Flat Base 7 WL 9 WL
	Base Locating Spring (not shown)




Convex Numbering Machines



Curved Base 7 Wheel
9 Wheel
Flat Base 7 Wheel
9 Wheel

Parts Diagram Convex




1. Unit Wheels Consecutive
Skip 2-4 & 10
Skip 5-9
2. Tens Wheels D/C or Solid
Letters
3. Actuating Pawl Pin 7 WL
9 WL
4. Swing 7 WL
9 WL
5. Actuating Pawl Spring
6. Actuating Pawl
7. Tube Shaft 7 WL Solid
D/C
9 WL Solid
D/C
8. Operating Arm 7 WL
9 WL

9. Unit Retaining Pawl
10. Tens Retaining Pawl
11. Retaining Pawl Spring
12. Gib Locking Screw 7 WL
9 WL
13. "E" Ring
14. Retaining Pawl Pin 7 WL
9 WL
15. Gib Holding Screw
16. Base Loc. Spring Screw
17. Gib
18. Case Curved Base 7WL
9 WL
19. Tube Shaft Set Screw
20. Case Flat Base 7 WL
9 WL
Base Locating Spring (not shown)




Rotary Numbering Equipment

MICR Numbering Machines



Curved Base 9 Wheel
11 Wheel
Flat Base 9 Wheel
11 Wheel

Parts Diagram MICR



1. (10 Div.)Symbol Wheels	STR	12. Tens Retaining Pawl (Double Bladed)
2. (10 Div.)Auto Ten Wheels	CVX	13. Retaining Pawl Spring
3. (14 Div.)Non-Auto Wheels	STR	14. Gib Locking Screw
4. Actuating Pawl Pin	CVX	15. "E" Ring
5. Swing	9 WL	16. Retaining Pawl Pin 9 WL
6. Actuating Pawl Spring	11 WL	17. Gib Holding Screw
7. Actuating Pawl	9 WL	18. Base Locating Screw
8. Act. Pawl Spacer .123"/.124"	11 WL	19. Gib
9. Tube Shaft	9 WL	20. Case- Curved Base
10. Operating Arm	11 WL	STR 9 WL
11. Tens Retaining Pawl	9 WL	CVX 9 WL
	11 WL	STR 11 WL
		CVX 11 WL
		21. Tube Shaft Set Screw
		22. Case- Flat Base
		STR 9 WL
		CVX 9 WL
		STR 11 WL
		CVX 11 WL
		23. Base Locating Spring

Split Cams



14" 17" 21" 22" 24" 25.5" 28"

Split Rings



14" 17" 21" 22" 24" 25.5" 28"


Model 680C

Make-Up Hand Numbering Unit
Replace those missing numbers
on all your forms.

P.N. 100-9680-000



Imprint Shells



Split imprint shells for imprinting on numbering
shafts are now available from FME.

- Aluminum construction.
- Scribed every 1/2" across and around.
- Available for any press.

PRICES

Circ.
14"
17"
22"
24"
28"

Other sizes available - call for quote.




Rotary Numbering Equipment



Unit Wheel Changer

The perfect tool for changing out the unit wheel. One side has a 1/16" balldriver to loosen the tube shaft set screws and remove the "E" clip. The other side has a stepped shaft with just the right sizes to push the tube shaft far enough to replace the unit wheel, then re-align everything for re-assembly, fast and easy!

P.N. 100-9000-018



Numbering Machine Vise

Makes the assembly of the tube shaft, swing and wheels easier by removing the pressure on the retaining pawls.

P.N. 100-9000-010




Actuating Pawl Pin Punch 1.4 MM

Retaining Pawl Pin Punch 2.4 MM

Precision made pin punches for the removal of the actuating and retaining pawl pins.

Act. P.N. 100-9000-004

Ret. P.N. 100-9000-003



Torque Wrench

For use in the installation of numbering machines to prevent applying too much pressure to the mounting screws which can cause damage to the case, excessive wear, or improper operation of the machine.


P.N. 100-9000-017



Numbering Machine Service Kit

Everything required to service, maintenance, or mount rotary numbering machines. Includes the vise, anvil, oiler, pin punches, tube shaft extractor, and miscellaneous tools all packed in a handy storage case.

Part No. 100-9000-011



Numbering Machine Anvil

Holds and aligns the case and swing for easy removal of the actuating and retaining pawl pins.

P.N. 100-9000-005 Price \$ 84.00



Tube Shaft Ejector

Aligns the case, swing and wheels for easy removal or replacement of the wheels and tube shaft.

P.N. 100-9000-002

Ultrasonic Cleaner

Ultrasonic cleaners are the professional way to clean rotary numbering machines.

Four standard sizes are available (for other sizes, please call for info) complete with timer, power control, perforated tray, and cover.

Cleaning Solutions

955-016 General Purpose Cleaner

For standard cleaning operations. Four 1 gallon containers per case.

955-116 Industrial Strength Cleaner

For any cleaning job. Four 1 gallon containers per case.

Note: cleaning solutions sold in cases only



Numbering Machine Oil

4 ounce bottle

P.N. 100-9000-016




Precision Numbering Machine Oiler

Accurate placement of oil one drop at a time. Contains 2 ounces of oil.

P.N.100-9000-015






Die Puller

Removes even the most stubborn frozen dies. Complete Die Puller includes one pair of standard 5/32" jaws.

Extra jaws Special jaws
5/32" - 7/16" 1/8" & 1/2"

RollBuster



Stop using sharp blades to remove paper from the roll. The RollBuster tears the paper instead of cutting offering both a safe and effective way to remove the waste.
P.N.900-0103-000




Slide Hammer Die Puller

Remove frozen dies quickly. This puller will remove or break the most stubborn dies with out the use of additional tools. #000-0023-000

Web Knife

Made from ALU-MAG alloy. Quickly and safely strips away waste paper from the core. #000-0027-000



Paper Revolver

Now you can easily turn paper rolls in any direction without straining.
8" Disc
12" Disc
12" Metal

Line Hole Peen Punch




Our peen punch causes the punch to expand without smashing the head or altering the amount of penetration. #000-0018-000

Core Saver



Restore damaged rolls quickly and efficiently. Hydraulic jaws have a 10,000 pound capacity to fix any roll. P.N.000-1122-000





Didde Replacement Parts

ATTENTION DIDDE OWNERS. STOP PAYING TOO MUCH FOR YOUR REPLACEMENT PARTS!

If your company has any Didde presses or collators, you need to call us. FME can supply all your Didde press and collator parts. We have available an extensive supply of parts at the best


prices anywhere. In fact, our parts supply is too large to list in our catalog, but ordering is easy.

Just call or fax us with your list of needed parts using the original Didde part numbers and we do the rest. We will find the best price with the fastest delivery on all your needed parts.

We offer the same quality parts without the high dollar OEM prices. If you have never ordered your Didde parts from us, please contact us for a quote on your next order.

New! Didde CheekPlates


Offset Unit Later Models



Made from new polymer, lasts longer!

Imprint Unit

Paper & Carbon Drive Belts



Endless woven red belts


PN 000-0008-000

Endless woven black belts

PN 000-0009-0000


New! Schriber Nosecones

Easy loading of paper rolls




Note: Not for 750 or newer collators

Replacement Roll Chucks




Schriber/Harris

For use on any collator running 3" cores



Hamilton

Collator Feed Chain



#40 Feed Chain for newer collators.

#41 Feed Chain for older collators.

Pins are every 2 inches. To measure, count the number of pins you require and check the i.d. marking (40 or 41) for which type chain is needed.

Super Pins



Super Pins offer unmatched performance and life. Made from abrasion resistant steel then molded with a special friction free compound.

12" cylinders • TGP95

P.N. 000-9000-095


17"-24" cylinders • TGP12

P.N. 000-9000-120


Complete pin cylinder assemblies available, contact FME for details.



Polymer Wash Up Blades




Equipment	Part No.	Equipment	Part No.	Equipment	Part No.
Akira 20"	AK20WU	Offcon M-154	MINIOFFCON	Schriber 500 #ing	SC500#WU
CS-50 (Italian Harris)	CS50WU	Offcon Press	OFF2112WU	Schriber 500	SC500WU
Hamilton 15"	HA15WU	Rotatek 200	RO2118WU	Schriber SR800	SR800WU
Hamilton 26"	HA285WU	Ryobi 3302M	RY1400WU	Schriber SR800 Imprint	SR800IMP
Harris/Cottrell V-15	HCV15WU	Sanden 851	SA2400WU	Stevens 20" M1000	ST2034WU
Heath	HE1578WU	Sanden 1200 Viacom	SA2714WU	Stevens 26" MS1000	ST2634WU
Heath	HE2414WU	Schriber 20" 1000/VS920	SC1020WU	Stevens 26" MS1000 #ing	ST2814WU
Heath	HE2478WU	Schriber 26"	SC1026WU	Stevens 32"	ST3234WU
Morgan 904	MO1634WU	Schriber 32"	SC1032WU	Western Gear Series 13	WG13WU
Morgan 905	MO2034WU	Schriber 33" 1250	SC1250WU	Western Gear Series 18	WG18WU
Muller Concept	MM2078WU	Schriber 1000	SC2234WU	Western Gear Dart 20	WG20WU
Offcon Imprinter	OFF2134WU	Schriber NM1000 Imprint	SCNM1000IMP	Western Gear Dart 26	WG26WU



Made from a new trackless polymer, resists ink build-up, tracking, and carbonless paper solvents.

Polymer Pull Wheels & Rollers



Made from a new trackless polymer, resists ink build-up, tracking, and carbonless paper solvents.

ATF

– Compression Tire

Ashton

– Collator

B Bunch

– O Ring 1-11/16"

Autographic

– Reel Tensioner

Drent

– Press 3"x.75"x.472"
– Press 2.362"x.75"x.512"
– Sheeter 1.56"x.75"x.23"

Kluge

– 2.5"x.875"x.5625

Sanden

– 3" x 9/16" x 1-3/8"

Western Gear

– 2.5"x1.3125"x.5"

Slitter Tires

Didde, Cameron,
Schriber & W.G.

Didde

– Compression Tire
– O Ring 1-15/16"
– O Ring 1-9/16"
– Older Presses
– Newer Presses (hub)
– 1" Face
– 4" Face
– Infeed Roller

Goebel

– 2.75"x1.18"x.5"

Hamilton

– Thin
– Medium
– Wide

Harris C-50

– Compression Tire

Schriber

– Pull In or Out
– Press
– Collator

Innovative

– 3"x40mmx20mm

Morgan

– 1.875"x1.258"x.625"

Magnum


– 76mmx40mmx4,5mm

Stevens

– 3"x.866"x.5"
– 2.5"x1.125"x.625"




Steel Form Rulers





Paper Micrometers

Precision, easy to read micrometers for measuring paper and blankets.
PN 000-7308-000
Paper Micrometer



Magnifier (Loupe', Linen Tester)


One inch diameter by six power glass. Folds easily to fit into its included storage pouch.
PN 000-0040-901



The perfect ruler for every forms printer. All the common widths, depths, and spacing are indicated. Available in two models.
Standard Front-Metric Back
P.N.000-1423-001
Standard Front & Back
P.N.000-1423-002


Imprinting available with your logo. Minimum quantity 50 (subject to 15% over or under). Send camera ready copy with size 1/2" x 3 1/2".

Strobe Lights



Model B with Dual Contactor	P.N.000-1830-000
Model B with Single Contactor	000-1831-000
Model B without Contactor	000-1840-000
Model B Power Unit	000-1833-000
Dual Contactor Only	000-1840-001
Single Contactor Only	000-1831-001
Reflector Assembly	000-1832-000
Flash Tubes	000-1830-001






FME's Batch Counter/Marker can be used on any press, collator, folder, snap delivery, or sheeter for accurate control of batches. The system features:

- Easy installation
- Uses economically priced colored and UV dyes (you can buy them from us!)
- Reliable - hundreds in use everywhere
- Economical - priced cheap, built tough
- Versatile - use striping or the audible alarm to indicate the end of the pack, can be connected to control kick of delivery table with optional output

For presses and continuous collators
(uses proximity switch hook-up)
For snap collators
(uses photo cell hook-up)




Auto Airbrush

Model AAUDR-000

P.N. 200-0000-000

Spray Marker Dye



Economical, water soluble dyes specifically designed for air operated spray markers. Available in Red, Blue, Green and now UV (invisible).

Common Replacement

Parts: P.N. AR-15-000
Aircap AU-000
Tip A-AU-3-11/16
Needle
Complete parts list available

Reservoirs	21SC
1 Quart	33SC
1 Pint	28SC
1/2 Pint	27SC
3 Ounce	UM48
5" Mounting Tube	1617
7" Mounting Assy	

Spray Marker Adapter Kit

Available for most presses and collators with existing batch counters. Converts marker wheel or marking pen systems to the more reliable and more economical spray marker system. Easy to install. Requires 80-100 PSI 1/4" poly air line from your press or collator. Everything else is included...solenoid, sprayer, mounting hardware, reservoir, air fittings, and a quart of dye.

Please provide make & model of equipment when ordering



Joggers



Model J-50 Tilted

14" x 20" or 17" x 22" tilted hardwood maple rack. Its double action easily aligns loads of stock weighing up to 15 pounds in preparation for cutting and trimming operations, or prior to collating and folding.


Part No. J50Tilt

Model J-50 Flat

14" x 20" or 17" x 22" flat, hardwood maple deck. The unit's single action vertical vibration will jog lifts of paper stock weighing up to 50 pounds.

Part No. J50Flat


Air Shafts



FME provides air shafts for any web application, any size web width and all core sizes. Shafts are available in button, lug, and leaf styles. Replacement airshafts available for Nimcor, Tidland, and Deublin. Please specify the serial number of the shaft. Due to the large variation of shafts from one model to another, each shaft is custom made to each customer's individual specifications.

Call FME for complete details and pricing information.

Trim Blower



Press and Collator direct drive trim blowers with totally enclosed 1/2 HP or 1 HP motors.


TB-85
1/2 HP Trim Blower

TB-95
1 HP Trim Blower

Specify 115/230 single phase or 230/460 three phase.

Blowers available for any application—call FME for details.






Split Rings–Size

14" Single Row
14" Double Row
17" Single Row
17" Double Row
21" Single Row
21" Double Row
22" Single Row
22" Double Row
24" Single Row
24" Double Row
25 1/2" Single Row
25 1/2" Double Row
28" Single Row
28" Double Row

Next Generation Long Life Punching



Millions and millions of runs without a punch or die change.


Our new system offers superior performance over other similar systems with an economical price.

Advantages of the Next Generation system:

- Millions of runs without changing a punch or die
 - 6 months run time with long life
 - 12 months run time with carbide
- Hanger-free punching without peening
- Reduced paper dust
- Will work with virtually any material
- Full production speeds up to 2500 fpm
- Economical
- Boosts production while reducing costs
- Fast payback on investment

Call us today to learn more about the Next Generation Punching System and to get a quote for your press.





The GP-RL 100 Perf Bars are unmatched in performance and dependability, making it the number one choice of manufacturers today (as well as every year since 1991).

The GP-RL 100 offers a wide range of advantages including:

- Simple, mechanical lock-up system without any pneumatic or weak tension spring worries
- The only system which is set from anvil face and locks against sides of slot
- Use perf, clean edge, or cutting rule without re-adjustments.
- Variances in rule heights and thicknesses are automatically adjusted for without resetting the bar.
- 30% or more increase in rule life
- Noise reduction of cross perf unit by an average of 10 decibel levels
- Proven performance with over 8000 installations in North America alone!
- Not restricted to the higher priced .750" high rule
- Fast payback

Call us today for complete details.

The GP Quick Change Perf Bar—**was** the most expensive bar in the world. Not now!


The GP is the most installed, most sold each year, easiest to use and offers the highest degree of performance. Now receive all these benefits for less money.

The GP Bar prices have been reduced which means that you can have the bar with the highest performance in the industry for about the same price (or less) as other bars being offered.

Check The Specs, Not All Bars Are Created Equal!

	FME GP Bar	Air Bar	Spring Bar-Polymer	Spring Bar-Metal
Quick-Change	Yes	Yes	Yes	Yes
Adjustable Blade Height	Auto Adjusts	Yes	Yes	Yes
Minimum Length	10"	18"	7"	4"
Maximum Length	39" (2 bars for wider slots)	49"	25"	25"
Body Material	Aircraft Aluminum	Aircraft Aluminum	Steel	Steel
Installation	Self Install	Technician required	Self Install	Self Install
Reduced Noise Level	Yes	Some	No	No
Increased Rule Life	Yes	Some	No	No
Locking Method	Mechanical	Air Bladder	Poly Springs	Metal Springs
Blade Set-Up Method	Anvil Cylinder	Set Screws	Set Screws	Set Bar
Relative Cost	\$\$	\$\$	\$\$	\$\$\$
Force Applied To Blade	1500+ lbs	135 lbs	60 lbs	60 lbs
Maximum Speed	1800+ FPM	1800 FPM	500 FPM	500 FPM
Rule Height Requirement	Any standard size	.750" or .918" high	.750" high	.750" high
Rule Variance In Height & Thickness	Auto adjusts for any variances	Re-adjustment required	Re-adjustment required	Re-adjustment required
Slot Depth Variances	Adjustable	Adjustable	Adjustable	Not Adjustable
Tie-Off Perfs	Yes (solid lock-up)	No (blade floats)	No (blade floats)	No (blade floats)





Skip Perf and Slitting Rings mount in the punch section of the press and run at full press speeds. Split construction allows for easy installation. Exact registration at any speed without any bounce. 0° to 360° vertical cuts/perfs.


Rings include inner wear bands.

Size

14"
17"
20", 21", 22"
24", 25", 25 1/2"
26"
28"
33", 34", 35"

Replacement inner wear bands

Segments are available in 4,5,6,8,9,10,12,14,16 teeth/ inch - tie .032" unless specified.
Segments of same size and teeth may be combined for quantity discount.




SKIP SNIPS

.20" Low profile perf and slitting blades for Skip Perf rings. Skip Snips offer an economical alternative to the standard segments. Shipped in 360° pieces and available in the same teeth/tie combinations. Just cut off the size you need with tin snips.
2 blade minimum.

Size	
14	Perfs & Slitters are available in these sizes
17	
20,21,22	
24	
25.5	
28	

Available teeth/inch: 4,5,6,8,9,10,12,14,16,20 & 30
Available ties (space): .015,.025,.031,.040,.045,.062

Line Pattern Glue Strips




Line pattern glue strips

25 pieces
50 pieces
100 pieces
200 pieces

**Mix any combination of
glue strips for quantity
discount.**

Dot Pattern Glue Strips



Dot pattern glue strips

25 pieces
50 pieces
100 pieces
200 pieces

**Mix any combination of
glue strips for quantity
discount.**

Hot melt glue strips

25 pieces
50 pieces
100 pieces
200 pieces







